

02-页面样式接口

作用

获得一个页面的详情内容的html代码片段

接口

/rest/gearsapi/1.0/pages/{pageId}/css

方法

get

示例

- 调用地址

<http://localhost:1990/confluence/rest/gearsapi/1.0/pages/65552/css>

- 结果

```
@page
{
    size: letter;
    margin: 0.5in;
    padding: 1em;
    @top-left
    {
        content: element(header);
    }
    @bottom-left
    {
        content: element(footer);
    }
}
```

```
@page title

{
    margin: 0.5in;
    padding: 1em;

    @top-left
    {
    }

    @bottom-left
    {
    }

}

p {
    page-break-inside: avoid;
}

a
{
    color: #0052cc;
    text-decoration:none;
}

a .grey
```

```
{  
    color: #666;  
}  
  
body  
{  
    margin: 0;  
    padding: 0;  
    font-family: ConfluenceInstalledFont, Helvetica, Arial, sans-serif;  
}  
  
/* table view for several macros*/  
  
.tableview td  
{  
    border-color:#CCCCCC;  
    border-style:solid;  
    border-width:0 0 1px;  
    margin:0;  
    padding:4px 10px 4px 5px;  
    text-align:left;  
}  
  
/* built in gallery macro */
```

```
div.gallery > table

{
    display: table-cell;
}

div.gallery > table > tr

{
    display: inline;
}

div.gallery > table > tr > td

{
    display: inline;
}

div.gallery > table > tr > th

{
    display: inline;
}

div.gallery > table > tr:first-child

{
    display: block;
}
```

```
pre
{
    white-space: pre-wrap;
}

div.panelMacro
{
    page-break-inside: avoid;
}

/* wraps the section columns underneath each other so they don't run off the page */
table.sectionMacro
{
    display: block;
}

table.sectionMacro > tbody
{
    display: block;
}

table.sectionMacro > tbody > tr
{
    display: block;
```

```
}

table.sectionMacro > tbody > tr > td

{

    display: block;
}

table.sectionMacro > tbody > tr > td

{

    width: 98%
}

table.sectionMacroWithBorder

{

    display: block;
}

table.sectionMacroWithBorder>tbody

{

    display: block;
}

table.sectionMacroWithBorder > tbody > tr

{
```

```
display: block;  
}  
  
table.sectionMacroWithBorder > tbody > tr > td  
{  
    display: block;  
}  
  
table.sectionMacroWithBorder > tbody > tr > td  
{  
    /* why 99 you ask? because the right border won't show in the export up if it's  
    100 */  
    width: 99%;  
}  
  
body.content-preview  
{  
    background-color: #fff;  
    border: none;  
}  
  
body, li, table, .bodytext, .stepfield  
{  
    font-size: 10px;  
    color: #000;
```

```
font-weight: normal;  
word-wrap: break-word;  
}  
  
table tr td ul  
{  
margin-left: -30px;  
}  
}
```