## 05-JIRA

JIRAserverDataCenter

JIRA



Database setup	
Database Connection	<ul> <li>Built In (for evaluation or demonstration)</li> <li>My Own Database (recommended for production environments)</li> <li>Built in database can be migrated to a database of your own later.</li> <li>Learn more about connecting Jira to a database.</li> </ul>
Database Type	MySQL 8.0
Hostname	192.169.0.1
	Hostname or IP address of the database server.
Port	3306
	TCP Port Number for the database server.
Database	jiradb8180
	The name of the database to connect to.
Username	jirauser
	The username used to access the database.
Password	
	The password used to access the database.
	Next Test Connection
OK,	

设置应用程序的属性				
已经有数据? 您现在就可以将其他JIRA实例中数据导入到当前JIRA				
程序标题	Your Company JIRA			
	这个实例标题			
模式	● 私有			
	只有管理员才能创建新用户。			
	○ 开放			
	任何人都可以来注册创建问题。			
基本URL	http://localhost:8080			
	JIRA的基础URL信息。			
	所有的链接将使用此URL做为前缀。			
	一步			

请指定您的许可证关键字		
您需要许可证密钥设置 请输入许可证	JIRA。输入您的许可证密钥或生成新的许可证密钥。您需要的帐户MyAtlassian生成的许可证密钥。	
服务器ID	BILI-KT0B-W5S1-RVCW	
您的许可证关键字		
	或在MyAtlassian生成JIRA试用许可证	
	モーザ	

my.atlassian.com02-

设置管理员帐户				
输入详细信息的管理员帐户。您可以添加多个管理员设置后的程序。				
全名				
Email地址				
用户名				
· 영명	确认密码			
下一步				

设置电子邮件通知				
配置连接到发送邮件服务器,以便为JIRA可以发送电子邮件通知。您可以配置邮件服务器或设置JIRA。				
配置电邮通知 ● 以后再说 ○ 现在				
完成				

٠	
٠	
٠	
٠	excelCSV,Doc

bin/opt/atlassian/jira/bin

./stop-jira.sh #

./start-jira.sh #