JQL-ScirptRunner

ScirptRunnerissueFunction

in not inScirptRunner

subtasksOf	(subquery)	issueFunction in subtasksOf("issuetype = story") Story
addedAfterSprintStart	(board name, [Sprint name])	Sprint nameSprint
completeInSprint	(board name, [Sprint name])	Sprint name
incompleteInSprint	(board name, [Sprint name])	Sprint name
nextSprint	(board name)	SprinSprint
previousSprint	(board name)	Sprint
aggregateExpression		• `"Remaining work for all Issues", "remainingestimate.sum()"` `;`
commented	by username • on Date • after Date • before Date • funciton • inRole Role • inGroup Group • groupLevel Group	-5d or -8w startOfMonth() : 'by admin before -1d' admin 'before -1d inGroup jira-software-users' jira-software-users • 2019-09-09 • -5d or -8w • startOfMonth()
dateCompare	subquey, comparison	"issuetype in standardIssueTypes()"," < " datetime • issueFunction in("issuetype in standardIssueTypes()"," < =1440") 1440 • issueFundction in("issuetype in standardIssueTypes()"," < +1d") • issueFunction in dateCompare("project = OFC AND issuetype = ", "custtomfield_123456.clearTime() > custtomfield_654321.clearTime()")

epicsOf	subquey	EpicEpicLink issuetype = story Storyepic
expression	subquey, expression	
fileAttached	by username • on Date • after Date • before Date • funciton • inRole Role • inGroup Group	-5d or -8w startOfMonth() : 'by admin before -1d' admin 'before -1d inGroup jira-software-users' jira-software-users • 2019-09-09 • -5d or -8w • startOfMonth()
lastUpdated	by username • on Date • after Date • before Date • funciton • inRole Role • inGroup Group	-5d or -8w startOfMonth() : 'by admin before -1d' admin 'before -1d inGroup jira-software-users' jira-software-users • 2019-09-09 • -5d or -8w • startOfMonth()
hasAttachments	fileExtends	
hasComments		”-“ ”+“
hasLinks		
hasLinkType		hasLinks
hasRemoteLinks		
hasSubtasks		
issueFieldExactMatch	subquey, expression	"issuetype = epic " ,"","2" epic2

workLogged	by username • on Date • after Date • before Date • funciton • inRole Role • inGroup Group	-5d or -8w startOfMonth() : 'by admin before -1d' admin 'before -1d inGroup jira-software-users' jira-software-users • 2019-09-09 • -5d or -8w • startOfMonth()
linkedIssuesOfRecursiveLimited	subqueytraveral, inkname	("issuetype in(story)",2,"") Story
linkedIssuesOfAll	subqueylinktype description	("issuetype in(story)","") Story,
linkedIssuesOfAllRecursive	subqueylinkname	("issuetype in(story)","") Story,

	inactiveUsers		
	earliestUnreleasedVersionByReleaseDate		fixVersions in earliestUnreleasedVersionByReleaseDate()
	releaseDate ("after now()")	• on Date • after Date • before Date • funciton	-5d or -8w startOfMonth() : 'before -1d' 'before -1d' • 2019-09-09 • -5d or -8w fixVersion in releaseDate("on 2022-02-02")
	versionMatch		

	startDate	• on Date • after Date • before Date • funciton	-5d or -8w startOfMonth() : 'before -1d' 'before -1d' • 2019-09-09 • -5d or -8w
	overdue	• on Date • after Date • before Date • funciton	-5d or -8w startOfMonth() : before -1d' 'before -1d • 2019-09-09 • -5d or -8w • startOfMonth()