

workflow postfunction function list

Code	description	说明
P-P001	Copy the field value of the parent task to the same field *Use on subtasks	将父任务指定的字段复制到子任务的同字段中 *用在子任务上
P-P002	Copy field value into the given issue link issues	复制字段的值到关联的问题上
P-P003	decrease a given number value by one step	针对指定的数字字段的值，使之按步长递减
P-P004	increase a given number value by one step	针对指定的数字字段的值，使之按步长递增
P-P005	add current user to a given customfield(multiple users)	将当前操作人员加入到指定的多人字段中
P-P006	remove current user from a given customfield(multiple users)	将当前操作人员从指定的多人字段中移除
P-P007	set the assignee to a given field(single user) of this issue	增加当前经办人到指定的单用户字段中
P-P008	set the given customfield(single user) to become the assignee of issue	设置指定用户字段的值为当前问题的经办人
P-P009	add the current user to a given customfield(single users) of issue	设置当前操作用户到指定单用户字段中
P-P010	make the user(s) of the customfield(user) to watch this issue	设置用户字段中的值关注这个任务
P-P011	make the assignee of this issue to watch this issue	设置当前问题经办人关注此问题
P-P012	assign this issue to the previous assignee	设置经办人为上一经办人
P-P013	set current datetime into the given customfield(date picker or datetime picker) etime picker)	设置当前时间到指定时间字段
P-P014	make subtask assignee watch the parent issue *Use on subtasks	设置子任务经办人关注父任务 *用在子任务上
P-P015	when the epic is the specified status, then execute the epic transition	当Epic为指定状态时，执行Epic的指定动作
P-P016	when all storys status is the specified status, then execute the Epic transition	当Epic所有的Story的状态为指值时，执行Epic的动作
P-P017	execute the given transition for issues in Epic when the story status are the specified values *Use on Epic	当Story的状态为指定值时，指定Story指定动作 *用在Epic上
P-P018	When the parent status is the specified value , then execute the parent transition *Use on subtasks	当父任务状态为指定值是，执行任务动作 *用在子任务上
P-P019	when the parentstatus and all subtask status is the specified value, execute parent issue the given transition *Use on subtasks	当父状态为指定值，并且所有子任务状态为指定值时，执行父任务指定动作 *用在子任务上
P-P020	execute subtask transition when subtask status is the specified value	当子任务的状态为指定值时，执行子任务的指定动作
P-P021	when the subtask issuetype and status are the specified values , then execute subtask given transition	当子任务的类型以及状态为指定值时，执行子任务的指定状态
P-P022	if the given customfield(single users) is empty thne set the current user into it	如果指定用户字段为空，写入当前操作人员
P-P023	when the value of the given customfield(single select) is specified value, then set the given value into its other customfield(single select)	如果指定字段(单选)的值为指定值时，设定另外一个字段(单选)的值为指定值
P-P024	set sum of two number fields into the third field(number)	两个数字字段相加写入到第三个字段
P-P025	set subtract of two number fields into the third field(number)	将两个数字字段相减的值写入第三个字段
P-P026	execute link issue transition when them status is the specified value in issue link.	对指定关联关系的问题，当它们的状态为指定值是，执行它们的指定动作
P-P027	Set a value into the specified field	设置一个指定值到指定的字段
P-P028	make the roles users to watch this issue	让项目的角色成员关注此问题
P-P029	remove current user from watch this issue	从此issue的关注列表中移除当前用户